



Equal angles
 Angolari ad ali uguali
 Gleichschenklige Winkel
 Cornières à ailes égales
 Angulares de lados iguales

EN 10056-1
EN 10056-2

axa (mm)	t (mm)																			
	2,7	2,8	3	3,5	4	5	6	7	8	9	10	11	12	13	14	15	16	18	20	24
15x15	0,58	0,60	0,64																	
20x20	0,79	0,82	0,88	1,00	1,14															
25x25	1,00	1,04	1,12	1,28	1,45	1,78														
30x30	1,21	1,26	1,36	1,55	1,78	2,18	2,57													
35x35		1,48	1,60	1,85	2,09	2,57	3,04													
40x40			1,84	2,10	2,42	2,97	3,52													
45x45				2,74	3,38	4,00	4,56	5,15												
50x50				3,06	3,77	4,47	5,15	5,82												
60x60					4,57	5,42	6,26	7,09	7,90	8,69										
70x70					5,32	6,38	7,38	8,36	9,34	10,2	11,1	12,1								
80x80						7,34	8,48	9,63	10,7	11,9	12,9	14,0								
90x90						8,32	9,61	10,9	12,2	13,4	14,6	15,8								
100x100						9,20	10,7	12,2	13,5	15,0	16,4	17,8								
110x110						10,1	11,7	13,5	15,0	16,6	18,2	19,7								
120x120								14,8	16,5	18,2	19,9	21,6	23,3	25,0	26,6					
150x150*										23,0	25,2	27,3	29,5	31,6	33,8	35,9	40,1			
200x200*																48,5	54,3	59,9	71,1	

(kg/m)

Product lengths

Lunghezze di fabbricazione 6m ► 15m (-0/+100 mm)
 Herstellungslängen (* ► 25m on request)
 Longueurs de fabrication
 Longitudes de fabricación

Process tolerances

Tolleranze di fabbricazione
 Herstellungstoleranzen
 Tolérances de fabrication
 Tolerancias de fabricación

	a ≤ 50	50 < a ≤ 100	100 < a ≤ 150	150 < a ≤ 200
a (mm)	± 1,0	± 2,0	± 3,0	± 4,0
t (mm)	± 0,50	± 0,75	± 1,00	± 1,20